

Property Guru document ordering service


Document, Interest, Instrument: 5647882.1

Billing Code: 65c Hamurana Road

CoreLogic Reference: 2828693/1

Processed: 05 March 2020

Sourced from Property Guru, a CoreLogic solution. For any queries about this document or this service please call 0800 355 355 or email documentordering@corelogic.co.nz.



Western Bay of Plenty District Council

**Consent Notice Pursuant to Section 221
Resource Management Act 1991**

File Ref: S/B/9182

IN THE MATTER OF: Lot 1 Deposited Plan 322735

A N D

IN THE MATTER OF: Subdivision Consent pursuant to Sections 105, 108, 220 and 221 of the Resource Management Act 1991.

PURSUANT to Section 252(1)(a) of the Local Government Act 1974, I, TODD WHITTAKER, Authorised Officer of the Western Bay of Plenty District Council, hereby certify that by way of resolution passed under delegated authority on 27 March 2003, the following condition was imposed on the subdivision consent for Lot 2 Deposited Plan S.91506:

- a) *THAT the stormwater from the dwelling and garage shall be collected and disposed to a stormwater detention tank with a capacity of 5m³ per 100m² of roof / hardstand area, to be located on a concrete slab, and shall discharge via a 20mm diameter pipe to the existing reticulation/roadside water table.*
- b) *THAT in the event that Council install a stormwater reticulation system with capacity to serve the subject allotment, then a connection shall be provided to serve the lot to Council's reticulation system or road kerb and channel if available. The work required by this consent notice shall be undertaken at the landowners cost in accordance with Council's Subdivision and Development Code of Practice.*

Dated at Tauranga this *29th* day of *MAY* 2003.

Authorised Officer